



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 11, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Clinton School; Maplewood, NJ

Report Number: 17-10-00491

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

A handwritten signature in blue ink, reading "Julie Dickerson". The signature is fluid and cursive, with the first name "Julie" and last name "Dickerson" clearly legible.

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00491

Received Date: 10/04/2017

Reported Date: 10/11/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: 170968; Clinton School; Maplewood, NJ

Client Number:

201327

Laboratory Results

Fax Number:

Ext 18

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00491-001	C1	10/01/2017	BY 221 FOUNTAIN	<1.00	10/11/2017	
17-10-00491-002	C2	10/01/2017	BY 217 FOUNTAIN	<1.00	10/11/2017	
17-10-00491-003	C3	10/01/2017	CAFE SINK	<1.00	10/11/2017	

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND

ug/L= micrograms per liter

ppb = parts per billion



EHS Laboratories
ENVIRONMENTAL HAZARDS SERVICES, LLC

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907
ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

Company Name: LEW Corporation Account #: 201327

Address: 1090 Bristol Road City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068 Email: labresults@lewcorp.com Fax: 908-654-8069

Project Name / Collection Address: Clinton School City/State/Zip: Maplewood NJ
(Required) 07068 170968 (Required)

P.O. #: _____ Sampled By: Mark Franz License # (If Required): _____

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (If Applicable): _____
(Required)

X	5 Day Turnaround		3 Day Turnaround		2 Day Turnaround		1 Day Turnaround	Call Ahead
---	------------------	--	------------------	--	------------------	--	------------------	------------

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection	Temp. at time of Collection	
1	C1	By 221 Fountain	10/11/17	8 AM	X					
2	C2	By 217		1 AM						
3	C3	Cafe Sink		4 AM						
4				AM/PM						
5				AM/PM						
6				AM/PM						
7				AM/PM						
8				AM/PM						
9				AM/PM						
10				AM/PM						

Released by: Mark Franz Signature: [Signature] Date/Time: 10/21/17 5pm
Released by: GAER Signature: [Signature] Date/Time: 10/14/17 0391428788



17-10-00491

Due Date:
10/11/2017
(Wednesday)
AE

[Signature]



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 9, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; South Orange Middle School; South Orange, NJ

Report Number: 17-10-00470

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: Client sample 15 was received empty.

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00470

Received Date: 10/04/2017

Reported Date: 10/09/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: 170968; South Orange Middle School; South Orange, NJ

Client Number:
201327

Fax Number:
Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00470-001	1	10/01/2017	NURSE BATH 24 SINK	<1.00	10/06/2017	
17-10-00470-002	2	10/01/2017	NURSE BATH W BEDS SINK	1.08	10/06/2017	
17-10-00470-003	3	10/01/2017	GYM LEFT FOUNTAIN	2.27	10/06/2017	
17-10-00470-004	4	10/01/2017	GYM RT FOUNTAIN	<1.00	10/06/2017	
17-10-00470-005	5	10/01/2017	BY 275 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-006	6	10/01/2017	BY SH 14 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-007	7	10/01/2017	BY JC 14 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-008	8	10/01/2017	BY JC 26 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-009	9	10/01/2017	BY JC 22 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-010	10	10/01/2017	CAFE FOUNTAIN	<1.00	10/06/2017	
17-10-00470-011	11	10/01/2017	BY 362 FOUNTAIN	<1.00	10/06/2017	
17-10-00470-012	12	10/01/2017	KIT HAND WASH 1	14.5	10/06/2017	
17-10-00470-013	13	10/01/2017	KIT HAND WASH 2	3.59	10/06/2017	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 17-10-00470

Project/Test Address: 170968; South Orange Middle School; South Orange,
NJ

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00470-014	14	10/01/2017	KIT HAND WASH 3	4.17	10/06/2017	

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



ENVIRONMENTAL HAZARDS SERVICES, LLC

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907
ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

Company Name: LEW Corporation Account #: 201327

Address: 1090 Bristol Road City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068 Email: labresults@lewcorp.com Fax: 908-654-8069



17-10-00470

Due Date:
10/11/2017
(Wednesday)
AE

Project Name / Collection Address: South Orange Middle School City/State/Zip: South Orange NJ
(Required)
P.O. #: 170968 Sampled By: Mark Franz License # (If Required):

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (If Applicable):

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	Nurse Bath 24 Sink	10/11/17	8 AM	X					
2	2	Nurse Bath W/Boys Sink								
3	3	Gym Left Fountain								
4	4	Gym Rt Fountain								
5	5	By 275 Fountain								
6	6	By SH 14 Fountain								
7	7	By JC 14 Fountain								
8	8	By IC 26 Fountain								
9										
10										

Released by: Mark Franz Signature: *[Signature]* Date/Time: 10/24/17 5PM
Released by: *[Signature]* Signature: *[Signature]* Date/Time: 10/11/17 039080 3543



ENVIRONMENTAL HAZARDS SERVICES, LLC

ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907

Company Name: LEW Corporation

Address: 1090 Bristol Road

Phone: 908-654-8068

Email: labresults@lewcorp.com

City/State/Zip: Mountainside, NJ 07092

Fax: 908-654-8069

~ For Lab Use Only ~

470

Project Name / Collection Address: South Orange Middle School

P.O. #: 170968

Sampled By: Mail Franz

City/State/Zip: South Orange NJ

License # (If Required):

Water Source: (Check One) Public ☒ Well ☐

Well Tag # (If Applicable):

5 Day Turnaround

3 Day Turnaround

2 Day Turnaround

1 Day Turnaround Call Ahead

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	9	By JC 22 Fountain	10/11/17	8 AM	X					
2	10	Cafe Fountain		AM / PM						
3	11	By 362 Fountain		AM / PM						
4	12	Kit Handwash 1		AM / PM						
5	13			AM / PM						
6	14			AM / PM						
7	15			AM / PM						
8				AM / PM						
9				AM / PM						
10				AM / PM						

Released by: Mail Franz Signature: *[Signature]* Date/Time: 10/24/17 5pm

Signature: *[Signature]* Date/Time: 10/24/17 0391770467



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 9, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: Maplewood Middle School; Maplewood, NJ

Report Number: 17-10-00477

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00477

Received Date: 10/04/2017

Reported Date: 10/09/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: Maplewood Middle School; Maplewood, NJ

Client Number:

201327

Fax Number:

Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00477-001	1	10/01/2017	TEACHERS LOUNGE SINK	<1.00	10/06/2017	
17-10-00477-002	2	10/01/2017	GIRLS LOCKER FOUNTAIN	<1.00	10/06/2017	
17-10-00477-003	3	10/01/2017	BOYS LOCKER FOUNTAIN	<1.00	10/06/2017	
17-10-00477-004	4	10/01/2017	KITCHEN SINK	1.13	10/06/2017	
17-10-00477-005	5	10/01/2017	HALL BY 290 FOUNTAIN	9.71	10/06/2017	
17-10-00477-006	6	10/01/2017	HALL BY 162 FOUNTAIN	1.44	10/06/2017	
17-10-00477-007	7	10/01/2017	GROUND HALL BY ST 1 FOUNTAIN	<1.00	10/06/2017	
17-10-00477-008	8	10/01/2017	BLANK	<1.00	10/06/2017	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 17-10-00477

Project/Test Address: Maplewood Middle School; Maplewood, NJ

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
----------------------	---------------------	--------------------	---------------------	-----------------------------	------------------	-----------------

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



ENVIRONMENTAL HAZARDS SERVICES, LLC

ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907

17-10-00477



Due Date:
10/11/2017
(Wednesday)
AE

Company Name: LEW Corporation

Account #: 201327

Address: 1090 Bristol Road

City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068

Email: labresults@lewcorp.com

Fax: 908-654-8069

Project Name / Collection Address:

Maplewood Middle School

City/State/Zip: (Required)

Maplewood NJ

P.O. #: _____

Sampled By: Mark Franz

License # (If Required): _____

Water Source: (Check One)

Public ☒

Well ☐

Well Tag # (If Applicable): _____

1 Day Turnaround - Call Ahead

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE Temp at Time of Receipt:
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	Teachers Lounge Sink	10/11/17	8 AM PM <input checked="" type="radio"/>	X					
2	2	Girls Locker Fountain		AM / PM						
3	3	Boys Locker Fountain		AM / PM						
4	4	Kitchen Sink		AM / PM						
5	5	Hall by 290 Fountain		AM / PM						
6	6	Hall by 162' Fountain		AM / PM						
7	7	Grand Hall by 1st Fountain		AM / PM						
8	8	Black		AM PM <input checked="" type="radio"/>						
9				AM / PM						
10				AM / PM						

Released by:

Mark Franz

Signature:

Signature:

Date/Time:

10/21/17 5pm

3224

10/4/17

9341 844 0417



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 9, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Montrose School; Maplewood, NJ

Report Number: 17-10-00484

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00484

Received Date: 10/04/2017

Reported Date: 10/09/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: 170968; Montrose School; Maplewood, NJ

Client Number:

201327

Fax Number:

Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00484-001	1	10/01/2017	NURSE FOUNTAIN	<1.00	10/06/2017	
17-10-00484-002	2	10/01/2017	TL B4 SINK	4.52	10/06/2017	
17-10-00484-003	3	10/01/2017	ROOM 104 FOUNTAIN	<1.00	10/06/2017	
17-10-00484-004	4	10/01/2017	ROOM 106 FOUNTAIN	<1.00	10/06/2017	
17-10-00484-005	5	10/01/2017	ROOM 201 FOUNTAIN	<1.00	10/06/2017	
17-10-00484-006	6	10/01/2017	ROOM 204 FOUNTAIN	<1.00	10/06/2017	
17-10-00484-007	7	10/01/2017	ROOM 205 FOUNTAIN	<1.00	10/06/2017	
17-10-00484-008	8	10/01/2017	ROOM 206 FOUNTAIN	<1.00	10/06/2017	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 17-10-00484

Project/Test Address: 170968; Montrose School; Maplewood, NJ

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
----------------------	---------------------	--------------------	---------------------	-----------------------------	------------------	-----------------

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



ENVIRONMENTAL HAZARDS SERVICES, LLC

ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237

Phone: (800) 347-4010 FAX: (804) 275-4907

17-10-00484



Due Date:

10/11/2017

(Wednesday)

AE

Company Name: LEW Corporation

Account #: 201327

Address: 1090 Bristol Road

City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068

Email: labresults@lewcorp.com

Fax: 908-654-8069

Project Name / Collection Address: (Required)

Montrose School

City/State/Zip: (Required)

Maplewood NJ

P.O. #: 130968

Sampled By: Mark Franz

License # (If Required):

Water Source: (Check One) Public ☒ Well ☐

Well Tag # (If Applicable):

X	5 Day Turnaround		3 Day Turnaround		2 Day Turnaround		1 Day Turnaround	Call Ahead
---	------------------	--	------------------	--	------------------	--	------------------	------------

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	Nurse Box Fountain	10/11/17	8 AM <input checked="" type="radio"/> PM	X					
2	2	TL B4 Sink		AM / PM						
3	3	Room 104 Fountain		AM / PM						
4	4	106		AM / PM						
5	5	201		AM / PM						
6	6	201		AM / PM						
7	7	205		AM / PM						
8	8	206		AM <input checked="" type="radio"/> PM						
9				AM / PM						
10				AM / PM						

Released by: Mark Franz

Signature:

Date/Time: 10/21/17 5pm

Released by: GREG

Signature:

Date/Time: 10/11/17 93461523



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 11, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Jefferson School; Maplewood, NJ

Report Number: 17-10-00493

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00493

Received Date: 10/04/2017

Reported Date: 10/11/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: 170968; Jefferson School; Maplewood, NJ

Client Number:
201327

Fax Number:
Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00493-001	1	10/01/2017	ROOM A116 FOUNTAIN	<1.00	10/11/2017	
17-10-00493-002	2	10/01/2017	ROOM A115 LEFT FOUNTAIN	7.96	10/11/2017	
17-10-00493-003	3	10/01/2017	BY B111 FOUNTAIN	<1.00	10/11/2017	
17-10-00493-004	4	10/01/2017	BY JC FOUNTAIN	<1.00	10/11/2017	
17-10-00493-005	5	10/01/2017	CAFE SINK	12.0	10/11/2017	

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



ENVIRONMENTAL HAZARDS SERVICES, LLC

ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237

Phone: (800) 347-4010 FAX: (804) 275-4907

17-10-00493



Due Date:

10/11/2017
(Wednesday)
AE

Company Name: LEW Corporation Account #: 201327

Address: 1090 Bristol Road City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068 Email: labresults@lewcorp.com Fax: 908-654-8069

Project Name / Collection Address: Jefferson School City/State/Zip: Madewood NJ

P.O. #: 170968 Sampled By: Mark Franz License # (If Required):

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (If Applicable):

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	Room Allb Fountain	10/11/17	8 AM	X					
2	2	Room Alls Left		AM / PM						
3	3	By Bill		AM / PM						
4	4	By Bill JC		AM / PM						
5	5	By Bill JC		AM / PM						
6	5	Cafe Sink	10/11/17	4 AM						
7				AM / PM						
8				AM / PM						
9				AM / PM						
10				AM / PM						

Released by: Mark Franz Signature: Date/Time: 10/21/17 5pm

Released by: GATEC Signature: Date/Time: 10/21/17 9:42:5785



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 11, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Seth Boyden School; Maplewood, NJ

Report Number: 17-10-00514

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

A handwritten signature in blue ink, reading "Julie Dickerson", with a stylized, cursive script.

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00514

Received Date: 10/04/2017

Reported Date: 10/11/2017

Sampled By: Mark Franz

Tech Certification #:

Project/Test Address: 170968; Seth Boyden School; Maplewood, NJ

Client Number:

201327

Fax Number:

Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00514-001	1	10/01/2017	BY G6 FOUNTAIN	<1.00	10/11/2017	
17-10-00514-002	2	10/01/2017	NURSE SINK	4.99	10/11/2017	
17-10-00514-003	3	10/01/2017	BY 206 FOUNTAIN	10.0	10/11/2017	
17-10-00514-004	4	10/01/2017	CAFE SINK	2.66	10/11/2017	

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND

ug/L= micrograms per liter

ppb = parts per billion



EHS Laboratories
ENVIRONMENTAL HAZARDS SERVICES, LLC

Water Chain-of-Custody Form
SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907
ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

17-10-00514



Due Date:
10/11/2017
(Wednesday)
AE

Company Name: LEW Corporation

Account #: 201327

Address: 1090 Bristol Road

City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068

Email: labresults@lewcorp.com

Fax: 908-654-8069

Project Name / Collection Address: (Required)

Seth Boyden School

City/State/Zip: (Required)

Maplewood NJ

P.O. #: 170968

Sampled By: Mark Franz

License # (If Required):

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (If Applicable):

X	5 Day Turnaround		3 Day Turnaround		2 Day Turnaround		1 Day Turnaround
---	------------------	--	------------------	--	------------------	--	------------------

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	By G6 Fountain	10/11/17	8 AM PM <input checked="" type="radio"/>	X					
2	2	Nurse Sink		AM / PM						
3	3	By 206 Fountain		AM / PM						
4	4	Cafe Sink		AM PM <input checked="" type="radio"/>						
5				AM / PM						
6				AM / PM						
7				AM / PM						
8				AM / PM						
9				AM / PM						
10				AM / PM						

Released by: Mark Franz Signature: Date/Time: 10/12/17 5pm

Released by: Signature: Date/Time: 10/11/17 9:25 1951



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 10, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Marshal School; Underhill Field; Maplewood, NJ

Report Number: 17-10-00521

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00521

Received Date: 10/04/2017
Reported Date: 10/10/2017
Sampled By: Mark Franz
Tech Certification #:

Project/Test Address: 170968; Marshal School; Underhill Field; Maplewood, NJ

Client Number:
201327

Fax Number:
Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00521-001	M1	10/01/2017	MARSHAL BY 108 FOUNTAIN	<1.00	10/09/2017	
17-10-00521-002	M2	10/01/2017	MARSHAL BY 120 FOUNTAIN	<1.00	10/09/2017	
17-10-00521-003	U1	10/01/2017	UNDERHILL TRAINER IM	5.97	10/09/2017	
17-10-00521-004	U2	10/01/2017	UNDERHILL TRAINER SINK	2.05	10/09/2017	

Method: SM 3113B-2010
Analyst: Anthony Dee
Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



ENVIRONMENTAL HAZARDS SERVICES, LLC

ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

Water Chain-of-Custody Form

SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237

Phone: (800) 347-4010 FAX: (804) 275-4907



17-10-00521

Due Date:

10/11/2017
(Wednesday)
AE

Company Name: LEW Corporation

Account #: 201327

Address: 1090 Bristol Road

City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068

Email: labresults@lewcorp.com

Fax: 908-654-8069

Project Name / Collection Address: (Required)

Marshall School / Underhill Field

City/State/Zip: (Required)

Maplewood NJ

P.O. #: _____

Sampled By: Mark Franz

License # (If Required): _____

Water Source: (Check One) Public ☒ Well ☐

Well Tag # (If Applicable): _____

☒ 5 Day Turnaround

☐ 3 Day Turnaround

☐ 2 Day Turnaround

☐ 1 Day Turnaround - Call Ahead

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	M1	Marshall by 108 Fountain	10/11/17	8:00 PM	X					
2	M2	↓ by 120 ↓		AM						
3	U1	Underhill Trainer IM		AM						
4	U2	↓ Trainer Sink		AM						
5				AM						
6				AM						
7				AM						
8				AM						
9				AM						
10				AM						

Released by: Mark Franz Signature: [Signature] Date/Time: 10/2/17 5pm

Released by: [Signature] Signature: [Signature] Date/Time: 10/4/17 9:57 AM



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 10, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; S Orange/Maplewood Schools; Maplewood, NJ

Report Number: 17-10-00528

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00528

Received Date: 10/04/2017
Reported Date: 10/10/2017
Sampled By: Mark Franz
Tech Certification #:

Project/Test Address: 170968; S Orange/Maplewood Schools; Maplewood, NJ

Client Number:
201327

Fax Number:
Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00528-001	SMA-1	10/01/2017	S MT ANNEX RM 101	<1.00	10/09/2017	
17-10-00528-002	SMA-2	10/01/2017	S MT ANNEX RM 102	<1.00	10/09/2017	
17-10-00528-003	T-1	10/01/2017	TUSCAN BY 117	<1.00	10/09/2017	
17-10-00528-004	T-2	10/01/2017	TUSCAN TRAILER Y SINK	<1.00	10/09/2017	
17-10-00528-005	T-3	10/01/2017	TUSCAN CAFE SINK	2.01	10/09/2017	
17-10-00528-006	SM-1	10/01/2017	SOUTH MT RM 101	3.82	10/09/2017	
17-10-00528-007	SM-2	10/01/2017	SOUTH MT BY 107	1.69	10/09/2017	
17-10-00528-008	SM-3	10/01/2017	SOUTH MT CAFE SINK	5.85	10/09/2017	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 17-10-00528

Project/Test Address: 170968; S Orange/Maplewood Schools; Maplewood, NJ

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
-------------------	------------------	-----------------	---------------------	--------------------------	---------------	--------------

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



EHS Laboratories[®]
ENVIRONMENTAL HAZARDS SERVICES, LLC

Water Chain-of-Custody Form
SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907
ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com

17-10-00528



Due Date:
10/11/2017
(Wednesday)
AE

Company Name: LEW Corporation Account #: 201327

Address: 1090 Bristol Road City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068 Email: labresults@lewcorp.com Fax: 908-654-8069

Project Name / Collection Address: ~~170968~~ S. ORATE/Maplewood Schools City/State/Zip: Maplewood NJ

P.O. #: 170968 Sampled By: Mark Franz License # (if Required):

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (if Applicable):

(Required)

X	5 Day Turnaround		3 Day Turnaround		2 Day Turnaround		1 Day Turnaround	Get Ahead
---	------------------	--	------------------	--	------------------	--	------------------	-----------

No.	Client Sample ID	Collection Location (Ex: Kitchen sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	SMA-1	S. Mt. Ave. - Rm 101	10/11/17	8 AM	X					
2	↓ -2	↓ - Rm 102								
3	T-1	Tuscan - by 117								
4	↓ -2	↓ - Trailer Y Sink								
5	↓ -3	↓ - Cafe Sink								
6	SM-1	South Mt. - Rm 101								
7	↓ -2	↓ - by 107								
8	↓ -3	↓ - Cafe Sink								
9										
10										

Released by: Mark Franz Signature: Date/Time: 10/24/17 5pm

Released by: Date/Time: 10/4/17 039297 8183



Environmental Hazards Services, LLC

7469 Whitepine Rd. • Richmond, VA 23237 • 800-347-4010 • jdickerson@leadlab.com

October 11, 2017

LEW Corp
181 US Highway 46
Mine Hill, NJ 07803

PROJECT INFORMATION

Project/Test Address: 170968; Columbia High School; Maplewood, NJ

Report Number: 17-10-00533

Analysis Type: Lead – Standard Method 3113B

Lab Accreditation

Number: NJ-VA008/NY-11714

Results, Discussion

Qualifiers: N/A

A handwritten signature in blue ink, reading "Julie Dickerson". The signature is fluid and cursive, with the first name "Julie" and last name "Dickerson" clearly legible.

Julie Dickerson
Laboratory Administrator
Environmental Hazards Services, LLC



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 17-10-00533

Received Date: 10/04/2017
Reported Date: 10/11/2017
Sampled By: Mark Franz
Tech Certification #:

Project/Test Address: 170968; Columbia High School; Maplewood, NJ

Client Number:
201327

Fax Number:
Ext 18

Laboratory Results

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
17-10-00533-001	1	10/01/2017	HALL BY 114 LEFT BUBBLER	9.99	10/11/2017	
17-10-00533-002	2	10/01/2017	HALL BY 114 RT BUBBLER	<1.00	10/11/2017	
17-10-00533-003	3	10/01/2017	BY BLACK BOX LEFT BUBBLER	<1.00	10/11/2017	
17-10-00533-004	4	10/01/2017	BY BLACK BOX RT BUBBLER	4.74	10/11/2017	
17-10-00533-005	5	10/01/2017	TRAINER ICE MACHINE	<1.00	10/11/2017	
17-10-00533-006	6	10/01/2017	BY D301 LEFT BUBBLER	<1.00	10/11/2017	
17-10-00533-007	7	10/01/2017	BY D301 RT BUBBLER	<1.00	10/11/2017	
17-10-00533-008	8	10/01/2017	A334 SINK	18.1	10/11/2017	
17-10-00533-009	9	10/01/2017	KITCHEN SINK	<1.00	10/11/2017	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 17-10-00533

Project/Test Address: 170968; Columbia High School; Maplewood, NJ

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
----------------------	---------------------	--------------------	---------------------	-----------------------------	------------------	-----------------

Method: SM 3113B-2010

Analyst: Anthony Dee

Accreditation #: NJ VA008

Reviewed By Authorized Signatory: *Melissa Kanode*

Missy Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion



EHS Laboratories
ENVIRONMENTAL HAZARDS SERVICES, LLC

Water Chain-of-Custody Form
SHIP TO: 7469 Whitepine Rd. Richmond, VA 23237
Phone: (800) 347-4010 FAX: (804) 275-4907
ONLINE CLIENT PORTAL AVAILABLE FOR ANALYSIS RESULTS AT: www.leadlab.com



17-10-00533

Company Name: LEW Corporation Account #: 201327

Address: 1090 Bristol Road City/State/Zip: Mountainside, NJ 07092

Phone: 908-654-8068 Email: labresults@lewcorp.com Fax: 908-654-8069

699

Project Name / Collection Address: Columbia High School City/State/Zip: Maplewood NJ
(Required)

P.O. #: 170968 Sampled By: Mark Franz License # (If Required): _____

Water Source: (Check One) Public ☒ Well ☐ Well Tag # (If Applicable): _____
(Required)

X	5 Day Turnaround		3 Day Turnaround		2 Day Turnaround		1 Day Turnaround - Call Ahead
---	------------------	--	------------------	--	------------------	--	-------------------------------

No.	Client Sample ID	Collection Location (Ex: Kitchen Sink)	Collection Date	Collection Time	Metals			Field Parameters		LAB USE
					Lead	Copper	Other	Field pH at time of Collection:	Temp. at time of Collection:	
1	1	Hall by 114 Left Bubble	10/11/17	8 AM PM	X					
2	2	Hall by 114 Rt. Bubble		AM / PM						
3	3	By Black Box Left Bubble		AM / PM						
4	4	By Black Box Rt Bubble		AM / PM						
5	5	Trainer Ice Machine		AM / PM						
6	6	By D301 Left Bubble		AM / PM						
7	7	By D301 Rt Bubble		AM / PM						
8	8	A334 Sink		AM / PM						
9	9	Kitchen Sink		AM PM						
10	10			AM / PM						

Released by: Mark Franz Signature: [Signature] Date/Time: 10/24/17 SPN
Released by: AREA Signature: [Signature] Date/Time: 10/4/17 93753977